



Advance Chemicals Ltd.

Unit 101 - 19623, 56th Avenue, Langley,
British Columbia, **Canada**. V3A 3X7
Phone 604-533-3901, Fax 604-533-5181,
e-mail info@advancechemicals.ca

SM TEAT DIP

Product Data Sheet

Product Description:

- An aid in controlling Mastitis

Product Data:

Physical state: Liquid

Liquid density: 1.05 – 1.07 g/ml

pH: 4.0 – 5.5

Vapour pressure: no data

Boiling point: no data

Freezing point: no data

Solubility in water: 100%

Evaporation rate: no data

Odour and appearance: This product is a brown liquid solution.

Directions:

- Use of this product is restricted to dairy cattle.
- Using a single service paper towel, thoroughly wash udder and teats with a diluted solution of Udder-Wash before each milking.
- Dry teats before applying teat cups.
- Immediately after each cow is milked, dip the teats in undiluted SM TREAT Teat Dip. Allow the teat to air dry. Do not wipe. When a cow is being dried off, the teats should be dipped in SM TREAT once a day for 3-4 days after the last milking.
- Post-milking dipping can resume twice daily one week before calving.
- Keep container tightly closed and store at room temperature.

CAUTION: If the cow's teats are sore or chapped, consult your veterinarian and milking equipment serviceman before starting or continuing to use teat dip.

NOTE: The dip cup solution should be changed if it becomes visibly dirty or if sediment is introduced, or if brown color fades very noticeably.